

SAFESAW SYSTEM


Safesaw is a unique tool system for angle grinders. The protective Safety Guard housing is the invention that makes it possible to use effective blades in your angle grinder.

Steel

Steel is the universal blade in the SafeSaw System. Steel can be used to cut steel, aluminium, plastics and all kinds of wood quickly and easily. A steel disc is three-four times faster than a conventional cutting disc. At the same time, heat generation is about 90% lower. The blade has negative rake teeth, and a chip limiter for safe use. Material is cut with a narrow, clean cut. Cutting aluminium, which is normally difficult, has become easier with a Steel blade.




Part no.	Name	Ext. dia.	Hole	Teeth
55601	Steel	115	25,4	24
55602	Steel	125	25,4	26
701230	Steel	230	25,4	



Carver

A blade that can manage tough work on hardwood. Carver also produces excellent results when grinding plastics or aluminium. The construction uses brazed hard metal teeth and a chip limiter, so that it cuts and mills efficiently and safely. The teeth on the blade can be sharpened when they become blunt.

Part no.	Name	Ext. dia.	Hole	Teeth
55401	Carver	115	25,4	6
55402	Carver	125	25,4	6



Carver Pro

This blade is used for carving and milling hardwood and aluminium. One major application on aluminium is preparing weld sites and removing unsuccessful weld beads, without the aluminium blocking the blade. The blade consists of a turned core and removable hard metal inserts. The inserts are round and can be turned three times to present a sharp edge before they have to be replaced. Inserts can be easily replaced with a Torx key. The blade has a cut limiter for protection against throw-out and digging in, to reduce the amount each tooth "bites" the workpiece.

Part no.	Name	Ext. dia.	Hole	Teeth
44502	Carver Pro	125	25,4	4
44512	Carver Pro	125	25,4	8



Blade

Hard metal disc for cutting, sawing and making holes in all types of wood and wood fibre boards, such as MDF and chipboard. Can also cut wood framing that contains nails. Super Blade works efficiently and has a wide range of uses. This blade also has a chip limiter.

Part no.	Name	Ext. dia.	Hole	Teeth
55301	Blade	115	25,4	12
55302	Blade	125	25,4	12



Flex

Flexible extraction hose for installation on a vacuum cleaner or other extraction equipment.

Part no.	Name
44005	Flex



Guard

Guard which allows the above blades to be used. For installation on an angle grinder.

Part no.	Name	Blades	Hole
44002	Guard	115/125	22,0 & 25,4



Standard set



Part no. 750115 Standard set 115 mm		
	1 Steel 115 mm	(55601)
	1 Blade 115 mm	(55301)
	1 Guard 115 mm/125 mm	(44002)
Part no. 750125 Standard set 125 mm		
	1 Steel 125 mm	(55602)
	1 Blade 125 mm	(55302)
	1 Guard 115 mm/125 mm	(44002)

Steel set



Part no. 710115 Steel set 115 mm		
	1 Steel 115 mm	(55601)
	1 Guard 115 mm/125 mm	(44002)
Part no. 710125 Steel set 125 mm		
	1 Steel 125 mm	(55602)
	1 Guard 115 mm/125 mm	(44002)

Wood set



Part no. 720115 Wood set 115 mm		
	1 Blade 115 mm	(55301)
	1 Carver 115 mm	(55401)
	1 Guard 115 mm/125 mm	(44002)
Part no. 720125 Wood set 125 mm		
	1 Blade 125 mm	(55302)
	1 Carver 125 mm	(55402)
	1 Guard 115 mm/125 mm	(44002)

Super set



Part no. 730115 Super set 115 mm		
	1 Blade 115 mm	(55301)
	1 Carver 115 mm	(55401)
	1 Steel 115 mm	(55601)
	1 Guard 115 mm/125 mm	(44002)
Part no. 730125 Super set 125 mm		
	1 Blade 125 mm	(55302)
	1 Carver 125 mm	(55402)
	1 Steel 125 mm	(55602)
	1 Guard 115 mm/125 mm	(44002)



BAR & CHAINS

Logosol has bars and chains for most models of chainsaw. We have also vastly widened the choice in the 3/8" range. You can find bars from 32 cm to 1.5 metre! Logosol's own solid bars are best, since we have very stringent specifications, but we also have laminated bars, made from three plates joined together, from Stihl and Oregon. Chains for ripping and crosscutting are available. We have chosen Stihl as our supplier, since they have been found to maintain high, consistent quality.

Chainsaw bar & chains

Stihl 036,064,066,MS362,MS660 and Logosol Electric saw, 3/8" 1.3 mm

Part no.	Make	Length cm	Length inch	Ripping chain	Cross-cutting chain
3003-025-0040	Logosol	40	16	3614-000-0060	3636-000-0060
3003-025-0050	Logosol	50	20	3614-000-0072	3636-000-0072
3003-025-0063	Logosol	63	25	3614-000-0084	3636-000-0084
3003-025-0075	Logosol	75	30	3614-000-0098	3636-000-0098
3003-025-0090	Logosol	90	36	3614-000-0114	3636000-0114
3003-025-0120*	Logosol	120	47	3614-000-0152	3636-000-0152

* Only Logosol Big Mill LSG

Stihl 084,088, MS880, 3/8" 1.6 mm

Part no.	Make	Length cm	Length inch	Ripping chain	Cross-cutting chain
3002-000-9231	Stihl	63	25	3653-000-0088	3652-000-0088
3002-000-8041	Stihl	75	30	3653-000-0100	3652-000-0100
3002-000-8052	Stihl	90	36	3653-000-0114	3652-000-0114
3002-031-0120	Logosol	120	47	3653-000-0152	3652-000-0152
3002-031-0135	Logosol	135	53	3653-000-0173	3652-000-0173
3002-031-0150	Logosol	150	59	3653-000-0189	3652-000-0189

Another sprocket is needed for all bars and chains, part no. 1124-640-2004

Logosol Stack cutter PK1500, 3/8" 1.6 mm

Part no.	Make	Length cm	Length inch	Skip
3002-031-0120*	Logosol	120	47	3644-000-0152
3002-031-0135*	Logosol	135	53	3644-000-0173
3002-031-0150	Logosol	150	59	3644-000-0189

* An adapter is needed

Felling saws, 0.325" 1.5 mm

Part no.	Make	Length cm	Length inch	Cross-cutting chain
3003-000-5006	Stihl	32	13	3628-000-0056
3003-997-5006	Oregon	32	13	3628-000-0056

Sprocket and ring sprocket

Part no.	Product
1122-640-2002	Sprocket Stihl 064/066 3/8"-7
1122-640-2006	Sprocket Stihl 064/066 3/8"-7 Picco
0000-642-1233	Ring sprocket 3/8"-7 Stihl 084/088/064/066/MS361
0000-642-1240	Ring sprocket 3/8"-7 Picco Small 026/036
0000-642-9940	Ring sprocket 3/8"-8 Small Oregon





BANDSAW BLADES

Logosol collaborates with the two manufacturers who compete for the title of world champion bandsaw blade manufacturers, with the other makes left a long way behind. Install a professional blade in your band saw and notice the difference. The bands are available in widths from 6 mm up to wide industrial bands. We can also supply blades for foodstuffs and metal sawing, but we are really experts on bands for sawing wood.

Bandsaw blade



Bandsaw mill	Length	Width	Part no.	Width	Art.nr
Logosol Norwood LM Pro	4246	32	9000-032-4246	38	9000-038-4246
Baker AX	4318	32	9000-032-4318	38	9000-038-4318
Logosol BS350/BS320	2760	32	9000-032-2760	38	–
Centauro CO500	3937	32	9000-032-3937	38	9000-038-3937
Centauro CO600	4597	32	9000-032-4597	38	9000-038-4597
Centauro CO700	5080	32	9000-032-5080	38	9000-038-5080
Centauro CO800	5588	32	9000-032-5588	38	9000-038-5588
Centauro SP400, Elektra BAS450	3378	32	9000-032-3378	38	9000-038-3378
Elektra BAS315/6	2235	32	9000-032-2235	38	9000-038-2235
Forestor 650	3980	32	9000-032-3980	38	9000-038-3980
Forestor 800	4380	32	9000-032-4380	38	9000-038-4380
Forestor 950	4820	32	9000-032-4820	38	9000-038-4820
Forestor Jacko	4440	32	9000-032-4440	38	9000-038-4440
Forestor Tom Thumb	5029	32	9000-032-5029	38	9000-038-5029
Griggio SNA500	4140	32	9000-032-4140	38	9000-038-4140
Hudson Oscar 18	3350	32	9000-032-3350	38	9000-038-3350
Hudson Oscar 30	4060	32	9000-032-4060	38	9000-038-4060
Hudson Oscar 36	4240	32	9000-032-4240	38	9000-038-4240
Lennartsfors/Jonsered/Serra, Filius	3570	32	9000-032-3570	38	–
Logosol Norwood LM26/LM40	3660	32	9000-032-3660	38	9000-038-3660
Mebor 600	4420	32	9000-032-4420	38	9000-038-4420
Wermlandssågen	3280	32	–	38	9000-038-3280
Woodmizer LT10/LT15/LT20	4000	32	9000-032-4000	38	9000-038-4000
Woodmizer LT40	4000	32	9000-032-4670	38	9000-038-4000
Woodmizer LT70	4670	32	9000-032-4670	38	9000-038-4670
Woodmizer Multihead	5200	32	9000-032-5200	38	9000-038-5200

A COMPLETE RANGE OF SAW BLADES...

It is easy for you to order. We have many blades on stock to ensure quick delivery. If you order a length that we don't have as standard, we will do everything we can to help you get your blade as soon as possible.

Silco Log: Our proven top sellers with sustainable blade with hardened teeth. Perfect for cutting pine forests.

Logosol Ripper: This blade is a little stiffer and slightly better suited for broad cuts in hardwood. Hardened teeth.

Logosol HSS: Our best sawblade. Stays sharp much longer thanks to the HSS steel in its teeth. Suitable for all types of cutting.

**LOGOSOL 37
RIPPER**

LOGOSOL HSS

Width	Part no.	Width	Part no.	Width	Part no.	Width	Part no.
32	9001-032-4246	38	9001-038-4246	34	9002-034-4246	41	9002-041-4246
32	9001-032-4318	38	9001-038-4318	34	9002-034-4318	41	9002-041-4318
32	9001-032-2760	38	-	34	9002-034-2760	41	-
32	9001-032-3937	38	9001-038-3937	34	9002-034-3937	41	9002-041-3937
32	9001-032-4597	38	9001-038-4597	34	9002-034-4597	41	9002-041-4597
32	9001-032-5080	38	9001-038-5080	34	9002-034-5080	41	9002-041-5080
32	9001-032-5588	38	9001-038-5588	34	9002-034-5588	41	9002-041-5588
32	9001-032-3378	38	9001-038-3378	34	9002-034-3378	41	9002-041-3378
32	9001-032-2235	38	9001-038-2235	34	9002-034-2235	41	9002-041-2235
32	9001-032-3980	38	9001-038-3980	34	9002-034-3980	41	9002-041-3980
32	9001-032-4380	38	9001-038-4380	34	9002-034-4380	41	9002-041-4380
32	9001-032-4820	38	9001-038-4820	34	9002-034-4820	41	9002-041-4820
32	9001-032-4440	38	9001-038-4440	34	9002-034-4440	41	9002-041-4440
32	9001-032-5029	38	9001-038-5029	34	9002-034-5029	41	9002-041-5029
32	9001-032-4140	38	9001-038-4140	34	9002-034-4140	41	9002-041-4140
32	9001-032-3350	38	9001-038-3350	34	9002-034-3350	41	9002-041-3350
32	9001-032-4060	38	9001-038-4060	34	9002-034-4060	41	9002-041-4060
32	9001-032-4240	38	9001-038-4240	34	9002-034-4240	41	9002-041-4240
32	9001-032-3570	38	-	34	9002-034-3570	41	-
32	9001-032-3660	38	9001-038-3660	34	9002-034-3660	41	9002-041-3660
32	9001-032-4420	38	9001-038-4420	34	9002-034-4420	41	9002-041-4420
32	-	38	9001-038-3280	34	-	41	-
32	9001-032-4000	38	9001-038-4000	34	9002-034-4000	41	9002-041-4000
32	9001-032-4000	38	9001-038-4000	34	9002-034-4000	41	9002-041-4000
32	9001-032-4670	38	9001-038-4670	34	9002-034-4670	41	9002-041-4670
32	9001-032-5200	38	9001-038-5200	34	9002-034-5200	41	9002-041-5200

Log saw blades in Silco log and HSS grades can be ordered for your own bandsaw mill.
Please phone us at Logosol, and we can help you to order customised saw blades,
phone no. +46 (0)611-182 85

Bandsaw blades for cabinet making bandsaws

There is nothing wrong with your bandsaw – test a professional blade and you will see! You can now equip your own cabinet making bandsaw with Silco professional saw blades, made by Håkansson. We have everything from 6 to 31 mm. Each blade has a basic cost and a cost per metre. The blades are available in packs of five.

Part no.	Make	Band width	Pitch	Thickness	Saw surface
9000-006-0004	Håkansson Silco	6 mm	4 Teeth/inch	0,63	Normal
9000-006-0006	Håkansson Silco	6 mm	6 Teeth/inch	0,63	Fine
9000-010-0003	Håkansson Silco	10 mm	3 Teeth/inch	0,63	Coarse
9000-010-0006	Håkansson Silco	10 mm	6 Teeth/inch	0,63	Fine
9000-010-0004	Håkansson Silco	10 mm	4 Teeth/inch	0,63	Normal
9000-012-0006	Håkansson Silco	12 mm	6 Teeth/inch	0,63	Fine
9000-012-0003	Håkansson Silco	12 mm	3 Teeth/inch	0,63	Coarse
9000-012-0004	Håkansson Silco	12 mm	4 Teeth/inch	0,63	Normal
9000-016-0004	Håkansson Silco	16 mm	4 Teeth/inch *	0,63	Normal
9000-016-1004	Håkansson Silco	16 mm	4 Teeth/inch **	0,81	Normal
9000-016-1003	Håkansson Silco	16 mm	3 Teeth/inch **	0,81	Coarse
9000-019-1003	Håkansson Silco	19 mm	3 Teeth/inch **	0,81	Coarse
9000-019-1004	Håkansson Silco	19 mm	4 Teeth/inch **	0,81	Normal
9000-019-0003	Håkansson Silco	19 mm	3 Teeth/inch *	0,63	Coarse
9000-019-1006	Håkansson Silco	19 mm	6 Teeth/inch **	0,81	Fine
9000-025-0003	Håkansson Silco	25 mm	3 Teeth/inch	0,90	Coarse
9000-025-0002	Håkansson Silco	25 mm	2 Teeth/inch	0,90	Normal
9000-025-0004	Håkansson Silco	25 mm	4 Teeth/inch	0,90	Normal
9000-031-0003	Håkansson Silco	31 mm	3 Teeth/inch	1,06	Coarse

* Length shorter than 3 m. ** Length greater than 3 m.

NOTE! Cabinet making saw blades are also available in HSS grade!
Please phone us at Logosol, and we can help you place your order,
phone no. +46 (0)11-182 85

Saw blade for Logosol Låks frame saw

Part no.	Product
6100-001-0100	Saw blade Logosol LÅKS 330, Stellite L= 330mm
6100-001-0105	Saw blade Logosol LÅKS 500, Stellite L= 612mm
6100-001-0110	Saw blade Logosol LÅKS 500Ind, Stellite L= 495mm



GRINDING EQUIPMENT

In this chapter you find grinders to keep all your edges sharp in the carpentry shop, planing mill, sawmill and kitchen. When you have perfect sharpness, you increase both safety and the performance of your tools and machines.

Tormek T7

A heavy-duty water cooled grindstone for professional use. A large selection of jigs for precision sharpening of various tools. Particularly suitable for sharpening profile inserts and flat moulding blades in Logosol machinery.



Part no.

7010-000-1015

Tormek T3

A smaller, simpler variant of the original T7 model, for keeping kitchen knives sharp. 7 years' warranty. All the sharpening jigs below fit.



Part no.

7010-000-1020

Tormek Sharpening jigs

Part no.	Description
7010-001-1026	Sharpening jig SE-76, for straight edges
7010-001-1014	Sharpening jig SVA-170, for axes
7010-001-1013	Sharpening jig SVD-185, for gouges
7010-001-1017	Sharpening jig SVS-32, for short tools
7010-001-1015	Sharpening jig SVS-50, multi-jig
7010-001-1022	Sharpening jig SVX-150, for scissors
7010-001-1011	Sharpening jig SVM-45, for knives
7010-000-1005	Sharpening jig SVH-320, for planer/moulder inserts*
7010-001-1010	Sharpening jig SVM-140, for long, thin knives
7010-001-1012	Sharpening jig SVP-80, for profile inserts*
7010-001-1023	Sharpening jig DBS-22, for drills
7000-000-1010	Sharpening paste

* For Logosol's planer/moulders. The jig works best with T7.



Chain Sharpening Robot

An automatic chain sharpening machine that simplifies your work.



Part no.	Product
9999-000-1515	Chain sharpening robot
9999-000-0505	Grinding disc 150x4x16mm
9999-000-0506	Grinding disc 150x6x16mm

Mini Chain Grinder

An excellent bench mini-grinder for saw chains. Easy to use, for efficient correct sharpening. 220V, 85W. 4,800 rpm.



Part no.	Product
9999-000-1520	Mini Chain Grinder
9999-000-0507	Grinding disc 3.2 mm

Maxi Chain Grinder

Professional machine for people with high standards. Quick, correct sharpening of all types of chains. 220V, 180W. 2800 rpm.



Part no.	Product
9999-000-1525	Maxi Chain Grinder
9999-000-0511	Grinding disc 3.5 mm
9999-000-0512	Grinding disc 4.5 mm
9999-000-0514	Grinding disc 6.0 mm

Diamond coated steel grinding discs

Time to leave the stone age! Upgrade your grinder. There is a fantastic difference in grinding result, whether you have a small, simple chain sharpener or a highly advanced automatic sharpener for bands or saw chains. Replace your stone disc by a diamond disc with high precision and gyro effect!

- The weight of the grinding disc means that it does not lose speed during the sharpening process.
- Perfect profile and a diameter that does not change.
- Makes your sharpening machine quiet and vibration-free thanks to perfect balancing.
- The gyro effect in the disc stabilises the grinding head.
- The reversible disc lasts long enough to sharpen over 100 saw chains or bandsaw blades.
- Fantastic sharpening result, with a neat surface on both the edge and the base of the tooth.



Part no.	Product
9999-000-0509	Diamond sharpening disc 145x3.2x22.2 – fits the Maxi Chain Grinder
9999-000-0508	Diamond sharpening disc 145x3.2x16 – fits the Chain Sharpening Robot
9999-000-0516	Diamond sharpening disc 108x23x3.2 – fits the Mini Chain Grinder

Bar grinder

Bench grinder, with belt, polishing disc and stable tool rest. For maintaining saw bars.

Part no.	Product
7804-000-0005	Bar grinder
7804-001-0010	Abrasive belt 915x100 mm
7804-001-0015	Abrasive belt P80 915x100 mm
7804-001-0030	Abrasive disc P60 Ø 150 mm
7804-001-0035	Abrasive disc P80 Ø 150 mm



Automatic band grinder

The Logosol robot belt sharpener automatically sharpens saw blades with 22 m pitch for log bandsaw mills. Supplied with stand and blade holder. 12 V.

Part no.	Product
9999-000-1505	Automatic band grinder
9999-000-0506	Grinding disc 150x6x16mm



File equipment

Pferd file template works perfectly when you cut fresh logs of less than 400 mm diameter. Logosol also recommends a 4.8 mm round file for Picco chains.

Part no.	Product
9999-000-0450	UKF Bar edge file
9999-000-0451	File segment for UKF bar edge file
9999-000-0620	File vice 39 cm
9999-000-0410	File template Pferd 4.8 mm
9999-000-0411	Round file Pferd 4.8 mm for file template
9999-000-0430	Flat file Pferd for 4.8 and 5.5 mm file template



PlanoRex – grinding roll for vertical moulders

It is a well-known fact that grinding rolls need a soft layer underneath the abrasive cloth, to give a perfect finish. It is also well-known that the expensive rubber layer on grinding rolls is easily burned. Changing the coating can cost as much as a new roll.

The PlanoRex patented function solves this problem. It has a free rubber sleeve that expands against the abrasive cloth and provides the ideal softness. If the rubber sleeve is burned, it can be changed quickly and easily. PlanoRex offers superior economy, since it does not require bonded sleeves.

Technical data:

Centre hole	30 mm
Total set-up height	118 mm
Sandpaper / emery cloth width	100 mm
Max speed	4000 rpm.



PlanoRex 60/80

Part no.	Diameter	Cloth length
45000	62	270 +/- 5
40000	80	330 +/- 5


PlanoRex 60 is supplied with 2 x 80 grit, 2 x 100 grit and 1 x 120. PlanoRex 80 is supplied with 1 x 60 grit, 2 x 80 grit, 1 x 100 grit and 1 x 120. Abrasive cloths are specially designed for PlanoRex.

Loose rubber sleeve

Part no.	Grit
45025	Loose sleeve for grinding roll 45000
40025	Loose sleeve for grinding roll 40000

Abrasive cloth 60, package contains 5 sheets

Part no.	Grit
45080	80
45100	100
45120	120



Abrasive cloth 80, package contains 5 sheets

Part no.	Grit
40060	60
40080	80
40100	100
40120	120

Rotating file

Hard metal, for a hand-held drill. Produces a flat surface, suitable for spoons, serving spoons, small cups etc.

Part no.	Outer diameter	Shank diameter	Overall length
WP6520	20 mm	8 mm	60 mm



Round grindstone

Its unique structure gives a grindstone that is not clogged after a short time. The grindstone can be sharpened and shaped by "grinding" it against an emery disc.

Part no.	Outer diameter	Width	Shank diameter	Max speed
SK5006	50 mm	40 mm	8 mm	8,000 rpm



Flexi-Slip

Flexible sanding core for sanding and grinding non-flat surfaces.

Flexible - easily conforms to the shape of the work-piece that is being sanded.

Rounded top – does not produce any grinding marks.

Reinforced centre - you can use the entire grinding disc

Rapid material removal - removes a lot of material in relation to grain size

Many materials - useful for steel, wood, plastics, aluminium etc.



Part no.	Outer diameter	Width	Shank diameter	Max speed	Grit size
FS7560	75 mm	40 mm	6 mm	8,000 rpm	60



LUBRICANT

If you use the correct cleaners and the correct lubricants at the right places in your machine, it will be much easier to do maintenance and the risk of unnecessary wear is reduced. It is also much more pleasant to use a clean, properly lubricated machine! We have the products you need for your carpentry shop and saw mill!

Chain oil

Logosol's own chain oil has extra good adhesion. The oil stays on the saw much better than all other oils we have tried. This increases the service life of the cutting equipment.



Part no.	Product
0718-000-1001	Chain oil 1 l
0718-000-1010	Chain oil 10 l

Silbergleit

Silbergleit is a tried and tested lubricant for wood processing machinery. It is used for industry, craft work and hobbies.



Part no.	Product
7500-001-5069	Silbergleit, bottle, 1000 ml
7500-001-5067	Silbergleit, jar, 1000 ml

Non-fling oil

This is a further development of ordinary lubricating oil. It has good weather resistance, extremely good adhesion and of course, good lubricating ability. Give your cutting equipment a good start every time you change the chain!



Part no.
9999-000-5100

Universal oil

This penetrating oil is mainly used for cleaning and preservation. It dissolves dirt and rust, expels moisture and leaves a thin protective film behind after the solvent has evaporated.



Part no.
9999-000-5105

Silicone spray

Silicone increases the service life of plastic and rubber components, and functions as a lubricant. It is also a good idea to spray on silicone oil after cleaning machinery, since it gives a water and dirt rejecting surface. Avoid getting silicone oil anywhere near surfaces that will be painted later on.



Part no.
9999-000-5110

Super-Flo

A really Hi-tech lubricant with microscopic teflon balls (PTFE) that lubricates. It makes the surface drier and more slippery than ordinary oil, which is a good idea in dusty environments. Super Flo can be used on planer tables for better feed-through, since the Teflon does not affect adhesion if the wood is to be painted later on.



Part no.
9999-000-5115

Lubricant

Lubricant for wood processing machinery. Allows the wood to feed through better.



Part no.
7500-001-5050

Cleaner

Special cleaner for wood processing machinery.



Part no.
7500-001-5000

Order form

PART NO.	PRODUCT/DESIGNATION	QTY.

HOW TO ORDER:
Please find your local distributor on the back of this catalogue, at www.logosol.com or call Logosol Sweden +46 (0)611 182 85. Webshops available in selected markets, see www.logosol.com

Order form

PART NO.	PRODUCT/DESIGNATION	QTY.

HOW TO ORDER:

Please find your local distributor on the back of this catalogue, at www.logosol.com or call Logosol Sweden +46 (0)611 182 85. Webshops available in selected markets, see www.logosol.com

Order form

PART NO.	PRODUCT/DESIGNATION	QTY.

HOW TO ORDER:

Please find your local distributor on the back of this catalogue, at www.logosol.com or call Logosol Sweden +46 (0)611 182 85. Webshops available in selected markets, see www.logosol.com

Order form

PART NO.	PRODUCT/DESIGNATION	QTY.

HOW TO ORDER:

Please find your local distributor on the back of this catalogue, at www.logosol.com or call Logosol Sweden +46 (0)611 182 85. Webshops available in selected markets, see www.logosol.com

Order form

PART NO.	PRODUCT/DESIGNATION	QTY.

HOW TO ORDER:

Please find your local distributor on the back of this catalogue, at www.logosol.com or call Logosol Sweden +46 (0)611 182 85. Webshops available in selected markets, see www.logosol.com

Order form

PART NO.	PRODUCT/DESIGNATION	QTY.

HOW TO ORDER:

Please find your local distributor on the back of this catalogue, at www.logosol.com or call Logosol Sweden +46 (0)611 182 85. Webshops available in selected markets, see www.logosol.com



Logosol AB Sweden
Industrigatan 13,
SE-871 53 Härnösand
Telephone +46(0)611-182 85
Fax +46(0)611-182 89
E-mail info@logosol.se
Website www.logosol.se

